

Greenmood[®]

Biophilic Design



Parenthese

Product Specification Sheet

Connect with Greenmood



Parentthese

Acoustic Cork Tile



Parenthese

Retro rhythm, modern elegance

Parenthese is a sculptural cork tile inspired by mid-century wood paneling. Its geometric relief creates dynamic patterns that shift with light and perspective.

Design by: Alain Gilles

Specifications

 **Sound absorption** Class E – NRC 0.2 (ISO 11654:1997), certified by accredited labs in Belgium

 **Fire classification** Burns without flame or toxic emissions. Withstands -180°C to $+120^{\circ}\text{C}$ (-292°F to 248°F).

 **Thermal Insulation** Biocompatible insulator with zero deterioration, resistant to pests, mold & bacteria.


 **Conditions of use** Indoor only – 40% to 80% RH recommended, avoid direct sunlight, direct water or heat exposure

 **Hypoallergenic** Dust-free, allergen-free, safe for asthma sufferers.

 **Durable** Stable, compressive-resistant, vapor-permeable. Not affected by rodents or chemical agents.

 **Gross weight** 0.55kg (1.2 lbs) (Prism 10gr/0.02 lbs)

Acoustic performance



Parenthese tiles are tested according to **ISO 11654:1997** by a certified lab in the Netherlands.
Sound absorption class: **E NRC: 0.2**

Color range

Made from 100% natural cork, with no additives or chemical treatments.


Natural



Dark



Dimensions



 0.55 kg (1.2 lbs)

Composition

92% cork granules

Granulometry TYPE POWDER + granules 1 - 2 mm.
Ground, purified and dried cork oak bark

8% BioCol Bs 30

Polyurethane polymer, suitable for food contact

Manufacturing process

Compression molding

Does not contain

- Pentachloropenol
 - Tetrachloropenol
 - Formaldehyd
 - Cadmium
 - Colorants AZO
 - Chromo VI
-

Disclaimer

As a 100% natural material, each cork tile is absolutely unique. Slight color and thickness differiations may occur.

After installation, in some parts, points of junction might be visible.